


Sno-Thro 926 Series

Parts Manual



Models

926038 - Pro 28

(Serial No. 035000 and up)

926039 - Pro 32

(Serial No. 035000 and up)

926040 - Pro 36

(Serial No. 035000 and up)

926042 - Pro 28 Track

(Serial No. 035000 and up)

926104 - Pro 32 12V

(Serial No. 035000 and up)

926105 - Pro 36 12V

(Serial No. 035000 and up)

Gasoline containing up to 10% ethanol (E10) or up to 10% MTBE (methyl tertiary butyl ether) is acceptable for use in this machine. The use of any gasoline exceeding 10% ethanol (E10) or 10% MTBE will void the product warranty.

Il est possible d'utiliser de l'essence contenant jusqu'à 10% d'éthanol (E10) ou 10% de MTBE (éther méthyl-tertiobutylique) sur cette machine. L'utilisation d'une essence contenant plus de 10% d'éthanol (E10) ou de 10% de MTBE annulent la garantie.

En esta máquina puede utilizarse gasolina con hasta un 10% de etanol (E10) o hasta un 10% de MTBE (éter de metil butil terciario). El uso de cualquier otro tipo de gasolina con un porcentaje superior al 10% de etanol (E10) o al 10% de MTBE invalidará la garantía del producto.

THE MANUAL

Before you operate your unit, carefully and completely read manuals supplied with the unit. The contents will provide you with an understanding of safety instructions and controls during normal operation and maintenance.

For your safety and the safety of others always read, understand, and follow all DANGER, WARNING, and CAUTION messages found in manuals and on safety decals.

Hardware descriptions are given in decimals.

| Decimals to Fractions | | | | | |
|-----------------------|------|------|-------|--|--|
| .063 | 1/16 | .563 | 9/16 | | |
| .125 | 1/8 | .625 | 5/8 | | |
| .188 | 3/16 | .688 | 11/16 | | |
| .250 | 1/4 | .750 | 3/4 | | |
| .313 | 5/16 | .813 | 13/16 | | |
| .375 | 3/8 | .875 | 7/8 | | |
| .438 | 7/16 | .938 | 15/16 | | |
| .500 | 1/2 | 1.00 | 1 | | |

SERVICE AND REPLACEMENT PARTS

When ordering replacement parts or making service inquiries, know the Model and Serial numbers of your unit and engine.

Numbers are located on the product registration card in the unit literature package. They are printed on a serial number label, located on the frame of your unit.

- Record Unit Model and Serial numbers here:
- Record Engine Model and Serial numbers here:

UNAUTHORIZED REPLACEMENT PARTS

Use only Ariens replacement parts. The replacement of any part on this vehicle with anything other than an Ariens authorized replacement part may adversely affect the performance, durability, or safety of this unit and may void the warranty. Ariens disclaims liability for any claims or damages, whether warranty, property damage, personal injury or death arising out of the use of unauthorized replacement parts.

PRODUCT REGISTRATION

The Ariens dealer must register the product at the time of purchase. Registering the product will help the company process warranty claims or contact you with the latest service information. All claims meeting requirements during the limited warranty period will be honored, whether or not the product registration card is returned. Keep a proof of purchase if you do not register your unit.

Customer Note: If Dealer does not register your product, please fill out, sign and return the product registration card to Ariens or go to www.ariens.com.

YOUR SATISFACTION IS IMPORTANT

Questions? Please follow these helpful steps:

Refer to the manuals supplied with your unit.

They will guide you through safe and proper operation and maintenance.

They contain specifications on your unit.

If your questions are not answered in these manuals, go to step number two.

Contact Your Dealer.

Our dealers will be happy to supply any service or advice required to keep your unit operating at peak efficiency.

A factory trained staff is available to support your equipment needs. They stock genuine Ariens parts and lubricants manufactured with the same precision and skill as the original.

If your questions are not resolved by the support staff, ask for the manager or owner.

When contacting your Dealer supply your model and serial numbers.

TO SPEED PARTS ORDERING:

- 1. Know the model and serial numbers of your unit.
- 2. Know the part number required.
- 3. Know the quantity required.
- 4. Know the part description.

MODELS

Domestic

Model 926038 (Pro 28) 28" Sno-Thro, Electric Start Serial No. 035000 and up

Model 926039 (Pro 32) 32" Sno-Thro, Electric Start Serial No. 035000 and up

Model 926040 (Pro 36) 36" Sno-Thro, Electric Start Serial No. 035000 and up

Model 926042 (Pro 28 Track) 28" Sno-Thro, Electric Start Serial No. 035000 and up

Model 926104 (Pro 32) 32" Sno-Thro, 12V Key Start Serial No. 035000 and up

Model 926105 (Pro 36) 36" Sno-Thro, 12V Key Start Serial No. 035000 and up

TABLE OF CONTENTS

| DECALS |
|----------------------------------------------------------------------------------|
| Decals |
| ENGINE AND DRIVE |
| Engine and Belt Drive6 |
| MAIN FRAME |
| Speed Selector and Frame |
| OPERATORS CONTROLS |
| Handlebars, Lever Controls, Panel and Dash 16 Handlebars, Cables and Controls 18 |
| BLOWER |
| Chute, Auger and Battery |
| ELECTRICAL SYSTEMS |
| Electrical |


DECALS



| ltem | Part No. | Qty. | Description |
|------|----------|------|--------------------------------------|
| 1 | 08000717 | 1 | Decal, Control (926038, 039, 040) |
| | 08000719 | 1 | Decal, Control - 12V (926104, 105) |
| | 08000718 | 1 | Decal, Control - Track (926042) |
| 2 | 08000633 | 1 | Decal, Pro 28 (926038, 042) |
| | 08000632 | 1 | Decal, Pro 32 (926039, 104) |
| | 08000631 | 1 | Decal, Pro 36 (926040, 105) |
| 3 | 08000519 | 1 | Decal, Danger, Rotating Parts |
| 4 | 08000520 | 1 | Decal, Danger |
| 5 | 08000639 | 1 | Decal, Housing, Pro 28 (926038, 042) |
| | 08000638 | 1 | Decal, Housing, Pro 32 (926039, 104) |
| | 08000637 | 1 | Decal, Housing, Pro 36 (926040, 105) |
| 6 | 08000630 | 1 | Decal, Ariens Gear |
| 7 | 07864400 | 1 | Decal, Differential Lock (926042) |


Notes

ENGINE AND BELT DRIVE



ENGINE AND BELT DRIVE


| Item | Part No. | Qty. | Description |
|----------|----------------------|--------|------------------------------------------------------------------------------------|
| 1 | 06307400 | 3 | Washer, Locking .312 x .097 (926104, 105) |
| 2 | 08200710 | 1 | Engine, Briggs & Stratton, Polar Force 1650 Series 12V (926104, 105) |
| | 08200705 | 1 | Engine, Briggs & Stratton, Polar Force 2100 Series 120V (926038, 039, 040, 042) |
| 3 | 02968300 | 1 | Belt Finger (926104, 105) |
| | 04334200 | 1 | Belt Finger (926038, 039, 040, 042) |
| 4 | 05947300 | 2 | Bolt, Hex .31-24 x .75 Grade 5 |
| 5 | 03966900 | 1 | Sheave, Drive (926104, 105) |
| | 04346200 | 1 | Sheave, Drive (926038, 039, 040, 042) |
| 6 | 00657400 | 1 | Sheave, Attachment |
| 7 | 00384100 | 1 | Belt Cover (926104, 105) |
| | 04083100 | 1 | Belt Cover (926038, 039, 040, 042) |
| 8 | 52602700 | 1 | Swing Plate Assembly |
| 9 | 07200110 | 1 | V-Belt, Drive (926104, 105) |
| | 07200607 | 1 | V-Belt, Drive (926038, 039, 040, 042) |
| 10 | 00374900 | 1 | Arm, Brake |
| 11 | 00180500 | 1 | Brake Pad |
| 12 | 08300017 | 1 | Spring |
| 13 | 06537200 | 1 | Nut, Locking Center Jam .38-16 |
| 14 | 07333500 | 1 | Idler, Flat |
| 15 | 06200111 | 1 | Bolt, Round Head Square Short Neck .38-16 x 1.75 Grade 5 |
| 16 | 05947500 | 1 | Bolt, Hex .31-18 x 1.25 Grade 5 |
| 17 | 01213100 | 1 | Spacer |
| 18 | 02457400 | 1 | ldler |
| 19 | 07400034 | 2 | Screw, Tapping Hex Washer Head Thread Rolling .25-20 x .50 |
| 20 | 21531100 | 1 | Spark Plug (926038, 039, 040, 042) |
| | 21550500 | 1 | Spark Plug (926104, 105) |
| 21 | 07500114 | 1 | Key, Push/Pull Briggs & Stratton (926104, 105) |
| | 07500130 | 1 | Key, Rotary Briggs & Stratton (926038, 039, 040, 042) |
| 22 | 00430751 | 1 | Pivot, Brake |
| 23 | 05957200 | 1 | Bolt, Hex .31-18 x 2.00 Grade 5 |
| 24 | 06543100 | 1 | Nut, Locking Top Flange .31-18 |
| 25 | 06308800 | 1 | Washer, Locking .38 x .094 (926104, 105) |
| | 06309300 | 1 | Washer, Locking .44 x .109 (926038, 039, 040, 042) |
| 26 | 05901307 | 1 | Bolt, Hex .38-24 x 2.25 Grade 5 (926104, 105) |
| | 05964600 | 1 | Bolt, Hex .44-20 x 2.50 Grade 5 (926038, 039, 040, 042) |
| 27 | 06437200 | 2 | Washer, Flat Steel .344 x .688 x.065 |
| 28 | 06543100 | 1 | Nut, Locking Top Flange .31-18 |
| 29 | 06310500 | 1 | Washer, Locking, Internal .31 (926104, 105) |
| 30 | 06437200 | 2 | Washer, Flat Steel .344 x .688 x .065 (926104, 105) |
| | 06435700 | 2 | Washer, Flat Steel .38 x .875 x .083 (926038, 039, 040, 042) |
| 31 | 06529800 | 1 | Nut, Locking Center .31-18 (926104, 105) |
| | 06529200 | 3 | Nut, Hex .31-18 (926104, 105) |
| | 06543100 | 4 | Nut, Locking Top Flange .31-18 (926038, 039, 040, 042) |
| 32 | 08300019 | 1 | Spring |
| 33 | 00380900 | 1 | Rod, Pivot |
| 34 | 06436200 | 1 | Washer, Flat Steel .406 x .812 x .065 |
| 35 | 06714800 | 3 | Pin, Hair #25 |
| 36 | 06800028 | 2 | Rivet, Pop .187 |
| 37 | 03276651 | 1 | Baffle (926104, 105) |
| 00 | 04346051 | 1 | Baffle (926038, 039, 040, 042) |
| 38 | 06400828 | 2 | Washer, Flat Steel .536 x 1.07 x .109 (926104, 105) |
| 39 | 06100203 | 2 | Screw, Machine Flat Countersink Head .31-24 x .75 EP80 (926104, 105) |
| 40 | 07400007 | 1 | Screw, Tapping Hex Washer Head Thread Rolling .25-20 x 1.50 |
| 41 | 06443000 | 1 | Washer, Flat Steel 1.062 x 2.0 x .134 |
| 42 | 03282351 | 1 | Guard, Belt Cover (926104, 105) |
| 43 | 06435700 | 1 | Washer, Flat Steel .38 x .875 x .083 |
| 44 | 07500217 | 1 | Fuel Cap (926038, 039, 040, 042) |
| ΛE | 07500216 | 1 | Fuel Cap (926104, 105) |
| 45 46 | 07400104 | 2 | Screw, Tapping, Large Hex Washer Head Thread Rolling .25-20 x .50 |
| 46 47 | 05500937 05531500 | 2 2 | Bushing, Sleeve (926038, 039, 040, 042) Bushing, Sleeve (926038, 039, 040, 042) |
| 47 48 | 05531500 06307400 | 2 | Washer, Locking .312 x .097 |
| 46 49 | 07027600 | 1 | Nut, Push .25 x .50 |
| 73 | 01021000 | ' | 1144, 1 4011.20 A .00 |



SPEED SELECTOR AND FRAME

| Part No. | Qty. | Description |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 00371300 | 1 | Shift Fork |
| 00370459 | 1 | Main Frame (926042) |
| 04333759 | 1 | Main Frame (926038, 039, 040, 104, 105) |
| 05500026 | 1 | Bushing, Polyliner |
| 05900019 | 4 | Bolt, Hex Washer Head .25-20 x .75 Grade 5 |
| 00375159 | 1 | Bottom Cover |
| 00392000 | 2 | Strap, Engine Bolt (926104, 105) |
| 04333900 | 2 | Strap, Engine Bolt (926038, 039, 040, 042) |
| 06800028 | 2 | Rivet, Pop .187 |
| 05500028 | 1 | Bushing, Polyliner |
| 07009000 | 4 | Nut, Retainer .25-20 x .56 |
| 06944800 | 2 | Clip, Spring |
| 07400034 | 2 | Screw, Tapping Hex Washer Head Thread Rolling .25-20 x .50 |
| | 00371300 00370459 04333759 05500026 05900019 00375159 00392000 04333900 06800028 05500028 07009000 06944800 | 00371300 1 00370459 1 04333759 1 05500026 1 05900019 4 00375159 1 00392000 2 04333900 2 06800028 2 05500028 1 07009000 4 06944800 2 |


WHEELS AND AXLES



| Item | Part No. | Qty. | Description |
|------|----------|------|----------------------------------------------------------------------------------------------|
| 1 | 07100229 | 1 | Tire/Wheel Assembly, Right Hand 16 x 4.80-8 (Includes Items 2 and 3) (926038) |
| | 07100230 | 1 | Tire/Wheel Assembly, Left Hand 16 x 4.80-8 (Includes Items 2 and 3) (926038) |
| | 07100231 | 1 | Tire/Wheel Assembly, Right Hand 16 x 6.50-8 (Includes Items 2 and 3) (926039, 040, 104, 105) |
| | 07100232 | 1 | Tire/Wheel Assembly, Left Hand 16 x 6.50-8 (Includes Items 2 and 3) (926039, 040, 104, 105) |
| 2 | 07100727 | 2 | Tire, 16 x 4.80-8 K478 (926038) |
| | 07100728 | 2 | Tire, 16 x 6.50-8 K478 (926039, 040, 104, 105) |
| 3 | 07100102 | 2 | Wheel/Hub, 16 x 4.80-8 (926038) |
| | 07100103 | 2 | Wheel/Hub, 16 x 6.50-8 (926039, 040, 104, 105) |
| 4 | 07103700 | 2 | Tube 16 x 4.80-8 (926038) |
| | 07108700 | 2 | Tube 16 x 6.50-8 (926039, 040, 104, 105) |
| 5 | 05700001 | 2 | Clip, Snap |
| 6 | 05501014 | 2 | Spacer |
| 7 | 05400706 | 2 | Bearing |
| 8 | 05946800 | 6 | Bolt, Hex .25-20 x .75 |
| 9 | 00866000 | 1 | Differential Assembly |
| 10 | 06443000 | 2 | Washer, Flat Steel 1.062 x 2.0 x .134 |
| 11 | 00660800 | 1 | Axle, Short (Included in Item 15) |
| 12 | 00660900 | 1 | Axle, Long |
| 13 | 06600002 | 2 | Key, Rectangular .25 x .188 x 1.00 |
| 14 | 05500023 | 2 | Bushing, Sleeve (Included in Item 15) |
| 15 | 52604100 | AR | Axle, Short with Bushings (Includes Items 11 and 14) |
| 16 | 06543500 | 6 | Nut, Locking Top Flange .25-20 |
| 17 | 03389051 | 2 | Plate, Bearing Spacer |

Notes

TRACK AND AXLES




TRACK AND AXLES

Model 926042

| Item | Part No. | Qty. | Description |
|------|----------|------|------------------------------------------------------|
| 1 | 00669700 | 2 | Track, Rubber |
| 2 | 00670351 | 2 | Wheel, Drive |
| 3 | 52605000 | 1 | Lockout Hub |
| 4 | 05700001 | 1 | Clip, Snap |
| 5 | 06530300 | 4 | Nut, Locking Nylon .625-18 |
| 6 | 03293600 | 4 | Wheel, Bogie |
| 7 | 06219900 | 6 | Bolt, Round Head Square Neck .25-20 x .75 Grade 5 |
| 8 | 06543500 | 6 | Nut, Locking Top Flange .25-20 |
| 9 | 03376000 | 1 | Axle, Front |
| 10 | 05946800 | 12 | Bolt, Hex .25-20 x .75 Grade 5 |
| 11 | 06436300 | 2 | Washer, Flat Steel 1.010 x 1.505 x .062 |
| 12 | 00669851 | 1 | Side Plate, Right Hand |
| 13 | 07000040 | 2 | Bolt, Eye |
| 14 | 03376100 | 1 | Axle, Rear |
| 15 | 06543100 | 5 | Nut, Locking Top Flange .31-18 |
| 16 | 01305900 | 1 | Flange Bushing |
| 17 | 05946900 | 1 | Bolt, Hex .31-18 x 1.00 Grade 5 |
| 18 | 00661400 | 1 | Axle, Long |
| 19 | 52604000 | 1 | Differential Assembly |
| 20 | 00661300 | 1 | Axle, Short (Included in Item 22) |
| 21 | 05500023 | 2 | Bushing, Sleeve (Included in Item 22) |
| 22 | 52604200 | 1 | Axle, Short With Bushings (Includes Items 20 and 21) |
| 23 | 00660751 | 2 | Runner, Guide |
| 24 | 06215700 | 4 | Bolt, Round Head Square Neck .31-18 x .75 Grade 5 |
| 25 | 06534800 | 2 | Nut, Locking Center Flange .38-16 |
| 26 | 05400706 | 4 | Bearing |
| 27 | 00669951 | 1 | Side Plate, Left Hand |
| 28 | 05967100 | 1 | Bolt, Hex .25-20 x 2.00 Grade 5 |
| 29 | 06529700 | 1 | Nut, Locking Center .25-20 |
| 30 | 06400012 | 1 | Washer, Flat Nylon 1.38 x 2.00 x .25 |
| 31 | 03389051 | 2 | Plate, Bearing Spacer |
| 32 | 06543500 | 12 | Nut, Locking Top Flange .25-20 |
| 33 | 05500122 | 2 | Bushing, Sleeve |
| 34 | 06600002 | 2 | Key, Rectangular .25 x .188 x 1.00 |


REDUCTION DRIVE



| Item | Part No. | Qty. | Description |
|------|----------|------|------------------------------------------------------------|
| 1 | 00660500 | 1 | Shaft, Pinion |
| 2 | 06436100 | 1 | Washer, Flat Steel .630 x 1.005 x .062 |
| 3 | 04098800 | 1 | Shaft, Hex |
| 4 | 05500029 | 1 | Spacer |
| 5 | 05500111 | 2 | Bushing, Flange (Included in Item 18) |
| 6 | 00190600 | 1 | Sprocket/Gear (Included in Item 18) |
| 7 | 06714500 | 4 | Pin, Spring Clip |
| 8 | 05800205 | 1 | Pin, Groove Type E .125 x 1.00 |
| 9 | 07061300 | 1 | Zerk, Fitting .25 x .125 Drive-In |
| 10 | 07400034 | 7 | Screw, Tapping Hex Washer Head Thread Rolling .25-20 x .50 |
| 11 | 00383000 | 2 | Flange, Bearing |
| 12 | 05435200 | 2 | Bearing |
| 13 | 04092600 | 1 | Sprocket, Pinion |
| 14 | 07400009 | 3 | Screw, Tapping Serrated Round Head Torx .31-18 x .50 |
| 15 | 00383100 | 1 | Carrier, Friction Disc |
| 16 | 00170800 | 1 | Friction Disc |
| 17 | 02466200 | 1 | Roller Chain |
| 18 | 52601500 | 1 | Sprocket/ Gear with Bushings (Includes Items 5 and 6) |
| 19 | 06439200 | 2 | Washer, Flat Steel .505 x 1.00 x .062 |
| 20 | 00503500 | 1 | Tab, Anti-Rotation |
| 21 | 05500035 | 1 | Bushing, Sleeve |

Notes


HANDLEBARS, LEVER CONTROLS, PANEL AND DASH



HANDLEBARS, LEVER CONTROLS, PANEL AND DASH

| | | | Middel 320000, 000, 040, 042, |
|----------|----------------------|--------|------------------------------------------------------------------------------------|
| ltem | Part No. | Qty. | Description |
| 1 | 52610200 | 1 | Handlebar, Upper, Right Hand with Heated Hand Grip (Includes Item 34) |
| 2 | 52610300 | 1 | Handlebar, Upper, Left Hand with Heated Hand Grip (Includes Item 34) |
| 3 | 04310100 | 2 | Clutch Paddle Block |
| 4 | 04310551 | 1 | Clutch Handle, Right Hand |
| 5 | 04310451 | 1 | Clutch Handle, Left Hand |
| 6 | 04320600 | 2 | Rod, Paddle Mount |
| 7 | 07400034 | 3 | Screw, Tapping Hex Washer Head Thread Rolling .25-20 x .50 |
| 8 | 07500103 | 2 | Edging, Clutch Handle |
| 9 | 52610000 | 1 | Control Panel with Decal (926104, 105) |
| | 52104500 | 1 | Control Panel with Decal (926038, 039, 040) |
| | 52610100 | 1 | Control Panel with Decal (926042) |
| 10 | 06444000 | 1 | Washer, Flat Steel .406 x 1.00 x .188 |
| 11 | 04320200 | 1 | Lever, Shift |
| 12 | 05963300 | 2 | Bolt, Hex .38-16 x 2.00 |
| 13 | 08335700 | 2 | Spring |
| 14 | 06542000 | 2 | Nut, Locking Top Flange .38-16 |
| 15 | 04320300 | 1 | Lever, Deflector |
| 16 | 04322100 | 2 | Cam, Interlock |
| 17 | 06714500 | 2 | Pin, Spring Clip |
| 18 | 04320400 | 1 | Interlock Arm |
| 19 | 05500020 | 4 | Bushing, Polyliner |
| 20 | 04320500 | 1 | Rod, Pivot |
| 21 | 04304400 | 1 | Dash Bezel |
| 22 | 04323300 | 1 | Shift Bezel |
| 23 | 06437300 | 2 | Washer, Flat Steel .281 x .62 x .065 |
| 24 | 06701900 | 3 | Pin, Hair, Internal .06 x .18 x .77 |
| 25 | 06220100 | 1 | Bolt, Round Head Extra Long Square Neck .25-20 x 1.25 (926042) |
| | 06220100 | 2 | Bolt, Round Head Extra Long Square Neck .25-20 x 1.25 (926038, 039, 040, 104, 105) |
| 26 | 06543500 | 3 | Nut, Locking Top Flange .25-20 (926042) |
| 0.7 | 06543500 | 4 | Nut, Locking Top Flange .25-20 (926038, 039, 040, 104, 105) |
| 27 | 06209300 | 2 | Bolt, Round Head Extra Long Square Neck .25-20 x 2.00 |
| 28 | 07400107 | 6 | Screw, Tapping Hex Head Boss #10 x .50 |
| 29 | 08300527 | 2 | Spring Path Payred Head Sayara Neels 24 48 y 4 50 |
| 30 | 06212100 | 2 | Bolt, Round Head Square Neck .31-18 x 1.50 |
| 31 | 06543100 | 2 | Nut, Locking Top Flange .31-18 |
| 32 33 | 08337000 | 1 2 | Spring Knob |
| 34 | 07500209 | 2 | Heated Hand Grip (Includes in Items 1and 2) |
| 35 | 07500015 07500211 | 2 | Sleeve, Clutch Handle |
| 36 | 05501012 | 1 | Bushing, Sleeve |
| 37 | 06439300 | 1 | Washer, Flat Steel .380 x 1.50 x .062 |
| 38 | 04307600 | 1 | Headlight Assembly |
| 39 | 00432600 | 1 | Bulb, Light |
| 40 | 05500027 | 1 | Bushing, Polyliner |
| 41 | 04318600 | 1 | Grommet |
| 42 | 00184800 | 1 | Mount, Chute Control |
| 43 | 04321800 | 1 | Lever, Chute Control |
| 44 | 07500205 | 1 | Control Handle |
| 45 | 06543500 | 2 | Nut, Locking Top Flange .25-20 |
| 46 | 05500004 | 2 | Bushing, Flange |
| 47 | 05946800 | 2 | Bolt, Hex .25-20 x .75 |
| 48 | 08310900 | 1 | Spring |
| | | | |


HANDLEBARS, CABLES AND CONTROLS



HANDLEBARS, CABLES AND CONTROLS

```
1
    07000021
                 1
                      Bolt, Shoulder
2
    07300012
                 1
                      Pulley, Cable
    06543500
                      Nut, Locking Top Flange .25-20
                      Bracket, Cable Pulley
    00373051
5
                 2
    06944800
                      Clip. Spring
6
    05500026
                      Bushing, Polyliner
                 1
7
    06441900
                      Washer, Flat Steel .531 x 1.06 x .095
                 1
8
    05500028
                 1
                      Bushing, Polyliner
                      Arm, Idler – Traction
9
    00371651
                 1
10
    00372851
                 1
                      Bracket, Support
11
    00384200
                 1
                      Hub. Brake Arm
12
   02954400
                      Arm, Idler - Attachment
                 1
                      Arm, Attachment
13 00384351
                 1
14 05500037
                 1
                      Bushing, Sleeve
                      Ring, Retaining External .250 x .010
15 05717600
16 00325400
                      Wave Washer
17
   05800900
                 1
                      Pin. Roll .125 x 1.00
18 07414200
                 2
                      Screw, Tapping Hex Washer Head Thread Rolling .25-20 x .75
                      Handlebar, Lower
19 00373251
20 06221600
                 4
                      Bolt, Round Head Square Neck .31-18 x 2.25
                      Spacer, Handlebar
21
   07500005
                 4
                      Nut, Locking Nylon .31-18
22 06530200
                 4
                      Bolt, Serrated Hex Flange Washer Head .38-16 x .75
23 07028500
24 06542000
                 4
                      Nut, Locking-Top-Flange .38-16
25 00373751
                 1
                      Bracket, Height Adjuster (926042)
                      Bolt, Round Head Square Neck .25-20 x .75 Grade 5 (926042)
26 06219900
                      Spacer (926042)
27 01103100
28 00383851
                      Stop, Height Adjuster (926042)
                      Plate. Height Adjuster (926042)
29 03294151
                 1
                      Bolt, Round Head Square Short Neck .31-18 x 1.25 Grade 5 (926042)
30 06200008
                 3
31 06543100
                 3
                      Nut, Locking Top Flange .31-18 (926042)
32 08300015
                      Spring (926042)
                      Spring (926038, 039, 040, 104, 105)
    08300015
                      Arm, Overtravel (926042)
   03376200
                 1
                      Pin, Hair Internal .06 x .18 x .77 (926042)
34
   06701900
                 1
35
   03294000
                 1
                      Lock, Height Adjuster (926042)
                      Nut. Locking Center Flange .38-16 (926042)
   06534800
                 1
                      Bolt, Hex .38-16 x 1.75 Grade 5 (926042)
37
    05958500
                 1
   07400034
                 4
                      Screw, Tapping Hex Washer Head Thread Rolling .25-20 x .50 (926038, 039, 040, 104, 105)
                 5
                      Screw, Tapping Hex Washer Head Thread Rolling .25-20 x .50 (926042)
    07400034
39
                      Cable, Track Remote (926042)
    06900510
                 1
40
                      Spring (926042)
   08300103
                 1
                      Washer, Locking .312 x .097
41
   06307400
                 4
                      Washer, Flat Steel .38 x .875 x .083
42 06435700
43 06900502
                      Cable, Traction
44 06900439
                 1
                      Cable, Auger
45 04336367
                      Rod, Shift, Upper
                 1
                 2
                      Pin, Hair Internal .08 x .18 x 1.18
46 06713500
                      Rod, Shift, Lower
47
   04343867
                 2
                      Bolt, Round Head Square Neck .25-20 x .75
48 06219900
    06543500
                      Nut, Locking Top Flange .25-20 (926038, 039, 040, 104, 105)
                      Nut, Locking Top Flange .25-20 (926042)
    06543500
50 00386700
                      Pivot, Shift Rod
51
   06900421
                 1
                      Cable, Chute Lock
                      Screw, Machine, Oval Head .25-20 x 1.50 (926042)
52 06100007
53 06305200
                 1
                      Washer, Lock Internal .25 (926042)
54 08300022
                 1
                      Spring
                      Bushing, Sleeve (926042)
55 05500106
                 1
   06900503
                      Cable
```

CHUTE, AUGER AND BATTERY



| Item | Part No. | Qty. | Description |
|------|----------|------|--------------------------------------------------------------------------|
| 1 | 00389000 | 1 | Rod, Deflector Cap |
| 2 | 04912900 | 1 | Cover, Battery (926104, 105) |
| 3 | | A/R | Battery Recommend 240 Minimum CCA at 0° F. Size U1R or U1L (926104, 105) |
| 4 | 52422200 | 1 | Battery Tray (Includes Item 10) (926104, 105) |
| 5 | 06220400 | 2 | Bolt, Round Head Square Neck .25-20 x 7.00 (926104, 105) |
| 6 | 06437300 | 2 | Washer, Flat Steel .281 x .62 x .065 (926104, 105) |
| 7 | 07500104 | 2 | Knob, Wing .25-20 (926104, 105) |
| 8 | 03679000 | 1 | Solenoid (926104, 105) |
| 9 | 05900019 | 4 | Bolt, Hex Washer Head .25-20 x .75 Grade 5 (926104, 105) |

CHUTE, AUGER AND BATTERY


```
Nut, Retainer .25-20 x .56 (Included in Item 4) (926104, 105) Cover, Solenoid (926104, 105)
10
       07009000
       02484459
11
       06435900
                                     Washer, Flat Steel .438 x 1.00 x .083
12
       08300013
                                     Spring
                                     Blower Housing with Decal 28" (926038, 042)
       52607900
                                     Blower Housing with Decal 32" (926039, Blower Housing with Decal 32" (926104) Blower Housing with Decal 36" (926104) Blower Housing with Decal 36" (926105)
       52608000
                             1
       52608100
       52608200
                             1
       52608300
       04148959
                                     Skid Shoe
                                     Nut, Locking Center .38-16
Bolt, Round Short Head Square Short Neck .31-18 x .62 (926038, 042)
       06529600
                             4
       06200120
                                     Bolt, Round Short Head Square Short Neck .31-18 x .62 (926039, 040, 104, 105)
       06200120
                                    Scraper Blade 28" (926038, 042)
Scraper Blade 32" (926039, 104)
Scraper Blade 36" (926040, 105)
Nut, Locking Top Flange .31-18 (926038, 042)
Nut, Locking Top Flange .31-18 (926039, 040, 104, 105)
Zerk, Fitting .25 x .125 Drive-In
       04182159
       04182059
       04181659
       06543100
       06543100
       07061300
                                    Zerk, Fitting .25 X .125 Drive-In Rake, Left Hand with Zerks, 28" (15.75" O.D.) (Includes Item 20) (926038, 042) Rake, Right Hand with Zerks, 28" (15.75" O.D.) (Includes Item 20) (926038, 042) Rake, Left Hand with Zerks, 32" (15.75" O.D.) (Includes Item 20) (926039, 104) Rake, Right Hand with Zerks, 32" (15.75" O.D.) (Includes Item 20) (926039, 104) Rake, Left Hand with Zerks, 36" (15.75" O.D.) (Includes Item 20) (926040, 105) Rake, Right Hand with Zerks, 36" (15.75" O.D.) (Includes Item 20) (926040, 105)
       52606400
       52606500
       52606600
       52606700
       52606800
       52606900
       52100100
                                     Shear Bolt Service Assembly (Includes Item 59)
       00428700
                                     Bearing Flange
       06212000
                                     Bolt, Round Head Square Short Neck .38-16 x 1.00
       05400713
                                     Bearing
26
       06220800
                             4
                                     Bolt, Round Head Square Short Neck .31-18 x .75
                             2
       06436300
                                     Washer, Flat Steel 1.01 x 1.505 x .062
       06529700
                                     Nut, Locking Center .25-20
                                     Bushing, Rake Shaft
Bushing, Polyliner
Screw, Tapping Hex Washer Head Thread Rolling .25-20 x .50 (926038, 039, 040, 042)
Screw, Tapping Hex Washer Head Thread Rolling .25-20 x .50 (926104, 105)
       00275100
                             2
6
30
       05500030
       07400034
31
       07400034
       00262159
                                     Cutter, Drift
                                     Knob, Wing .31-18
Pulley, Attachment
       07500105
34
       00268700
35
                                     Washer, Locking .312 x .097
       06307400
                                     Bolt, Serrated Hex Flange Washer Head .38-16 x .75 Nut, Retainer .38-16 x .37
36
       07028500
37
       07053300
                                     Bearing Flange
Cable, Deflector
       01014200
39
       06900406
                                     Chute, Discharge with Cap and Decal (926104, 105)
Chute, Discharge with Cap and Decal (926038, 039, 040, 042)
       52602200
                             1
       52610500
       05947900
                                     Bolt, Hex .25-20 x .50 Grade 5 (926104, 105)
42
       06909400
       07533200
                                     Boot, Eyelet Terminal (926104, 105)
                                     Bolt, Hex .31-24 x .75 Grade 5
44
       05947300
                                     Snow Clean Out Device with Brush
45
       03901400
46
       00170300
                             1
                                     Mount, Snow Clean Out Device
47
       06800028
                                     Rivet, Pop .187
                                     Washer, Flat Steel . 25 x .50 x .087 (926104, 105)

Washer, Locking External .262 x .502 x .026 (926104, 105)

Bolt, Hex .25-20 x .75 Grade 5 (926104, 105)

Washer, Flat Steel .265 x .50 x .087 (926104, 105)
       06536700
                             2 2 1
49
       06310500
       06306800
50
                             2
       05946800
51
52
       06439500
       06308400
                                     Washer, Locking .25 x .062 (926104, 105)
                                     Nut, Hex .25-20 (926104, 105)
       06533200
55
       00600100
                                     Baffle
                                     V-Belt, Matched Set, Auger (926104, 105)
V-Belt, Matched Set, Auger (926038, 039, 040, 042)
       07200430
       07200608
       00268703
                                     Screw, Tapping Hex Washer Head Thread Rolling .31-18 x .50
58
       07411500
                                     Nut, Locking Center .31-18
Nut, Locking Center .25-20 (926104, 105)
59
       06529800
                             2
60
       06529700
       07001612
                                     Nut, Threaded Insert .38-16
61
                                     Impeller
       00485551
       05803700
                                     Pin, Roll .250 x 1.75
```


GEAR CASE - CAST IRON




GEAR CASE - CAST IRON

| Item | Part No. | Qty. | Description |
|------|----------|------|----------------------------------------------------------|
| 1 | 04276900 | 1 | Gear Case |
| 2 | 04282500 | 1 | Gasket |
| 3 | 04280351 | 1 | Cover, Top |
| 4 | 06307200 | 4 | Washer, Locking External .326 x .599 x .031 |
| 5 | 05947200 | 4 | Bolt, Hex .31-18 x .50 |
| 6 | 05501025 | 1 | Bushing, Flange |
| 7 | 05600503 | 1 | Seal, Oil |
| 8 | 06436300 | 1 | Washer, Flat Steel 1.010 x 1.505 x .062 |
| 9 | 52609600 | 1 | Worm Shaft and Worm Gear Set |
| 10 | 05501024 | 1 | Bushing, Flange |
| 11 | 05600504 | 1 | Seal, Oil |
| 12 | 05501027 | 1 | Bushing, Flange |
| 13 | 04302900 | 1 | Cover, Front |
| 14 | 05501033 | 1 | Bushing, Flange |
| 15 | 06400332 | 1 | Washer, Flat Steel 1.010 x 1.250 x .068 |
| 16 | 04323700 | 1 | Bushing Retainer |
| 17 | 05600502 | 1 | Seal, Oil |
| 18 | 06400920 | 1 | Washer, Bonded Seal |
| 19 | 07400110 | 1 | Screw, Tapping Hex Washer Head Rolok .38-16 x .50 |
| 20 | 05702100 | 1 | Ring, Retaining, Internal 1.750 x .062 |
| 21 | 04277100 | 1 | Thrust Collar |
| 22 | 05800208 | 1 | Pin, Straight .250 x 1.12 6150 |
| 23 | 06608800 | 1 | Key, Woodruff .25 x .875 Hardened |
| 24 | 03392400 | 1 | Shaft, Rake, 28" (926038, 042) |
| | 03392500 | 1 | Shaft, Rake, 32" (926039, 104) |
| | 03392600 | 1 | Shaft, Rake, 36" (926040, 105) |
| 25 | 52609700 | 1 | Gear Case Assembly (Includes Items 1 – 24) (926038, 042) |
| | 52609800 | 1 | Gear Case Assembly (Includes Items 1 – 24) (926039, 104) |
| | 52609900 | 1 | Gear Case Assembly (Includes Items 1 – 24) (926040, 105) |
| 26 | 00068800 | 1 | Gear Lube, 8 oz Bottle |

DISCHARGE CHUTE




| Item | Part No. | Qty. | Description |
|------|----------|------|------------------------------------------------------------|
| 1 | 00389200 | 1 | Rod, Chute Rotation |
| 2 | 00261700 | 1 | Cover, Chute Gear |
| 3 | 07400034 | 1 | Screw, Tapping Hex Washer Head Thread Rolling .25-20 x .50 |
| 4 | 05952500 | 1 | Bolt, Hex .25-20 x 1.50 Grade 5 |
| 5 | 03898700 | 1 | Gear, Chute, Locking |
| 6 | 06222300 | 1 | Bolt, Round Head Square Neck .25-20 x 1.50 |
| 7 | 06400904 | 1 | Washer, Flat Nylon .515 x 1.375 x .093 |
| 8 | 05500027 | 1 | Bushing, Polyliner |
| 9 | 06441400 | 2 | Washer, Flat Steel .754 x 1.125 x .062 |
| 10 | 00184300 | 1 | Gear, Chute |
| 11 | 06543500 | 1 | Nut, Locking Top Flange .25-20 |
| 12 | 05500920 | 1 | Bushing, Flange |
| 13 | 05958500 | 2 | Bolt, Hex .38-16 x 1.75 Grade 5 |
| 14 | 06308800 | 2 | Washer, Locking .38 x .094 |
| 15 | 06944800 | 1 | Clip, Spring |
| 16 | 06712900 | 1 | Hairpin, # 7 .094 x 2.31 |
| 17 | 03897451 | 1 | Pedestal, Chute |
| 18 | 08300014 | 1 | Spring |
| 19 | 06543500 | 1 | Nut, Locking Top Flange .25-20 |
| 20 | 06426600 | 1 | Washer, Flat Steel .281 x 1.00 x .063 |
| 21 | 00180900 | 1 | Arm, Locking |
| 22 | 05500024 | 1 | Bushing, Lock Arm |



| Item | Part No. | Qty. | Description |
|------|----------|------|----------------------------------------------------------------------------------|
| 1 | 52709300 | 1 | Switch Assembly (Includes Items 2 – 6) (926104, 105) |
| 2 | 02460700 | 1 | Key with Cap (926104, 105) |
| 3 | 07517700 | 1 | Cap, Ignition Switch (926104, 105) |
| 4 | 06517300 | 1 | Nut, Panel .625-32 (926104, 105) |
| 5 | 02739600 | 1 | Ignition Switch Assembly (926104, 105) |
| 6 | 06306900 | 1 | Washer, Locking Internal .625 x .045 (926104, 105) |
| 7 | 04329600 | 1 | Harness, Wire – Light and Heated Hand Grips (926038, 039, 040, 042) |
| | 04329700 | 1 | Harness, Wire – 12V, Light and Heated Hand Grips (926104, 105) |
| 8 | 06403800 | 1 | Washer, Flat Steel .505 x .875 x .024 |
| 9 | 06310900 | 1 | Washer, Locking Internal .563 x .040 |
| 10 | 02485700 | 1 | Switch, On/Off – Heated Hand Grips |
| 11 | 00524700 | 1 | 15 AMP Fuse (926104, 105) |
| 12 | 07500015 | 2 | Heated Hand Grip with Terminal (Recommend Loctite E90-FL Epoxy for Installation) |
| 13 | 09207600 | AR | Boot, Switch (Optional) |
| 14 | 06800038 | 4 | Rivet, Pop #43 .125 x .313 |
| 15 | 00388300 | 1 | Harness Adapter (926104, 105) |
| 16 | 04307600 | 1 | Headlight Assembly |

CONTINUITY AND WIRING DIAGRAMS

Model 926038, 039, 040, 042



| ltem | Part No. | Qty. | Description |
|------|----------|------|----------------------------------------------------------------------------------|
| 1 | 04307600 | 1 | Headlight Assembly |
| 2 | 07500015 | 2 | Heated Hand Grip with Terminal (Recommend Loctite E90-FL Epoxy for Installation) |
| 3 | 04329600 | 1 | Harness, Wire, Light and Heated Hand Grips |
| 4 | 02485700 | 1 | Switch, On/Off Heated Hand Grips |

CONTINUITY DIAGRAM


Model 926104, 105

The diagrams below show the various states of connection for electrical components. The solid lines on switchs show continuity.

NOTE: All switches are viewed from the rear.

| Key Switch (02739600) OFF RUN START | Heated Hand Grip Switch (02485700) HEATED HAND GRIPS OFF ON |
|---------------------------------------------------------|--------------------------------------------------------------|
| Solenoid (Top View) (03679000) NOT ENERGIZED ENERGIZED | |
| | |
| | |

Model 926104, 105



| Item | Part No. | Qty. | Description |
|------|----------|------|----------------------------------------------------------------------------------|
| 1 | 04307600 | 1 | Head Light Assembly |
| 2 | 07500015 | 2 | Heated Hand Grip with Terminal (Recommend Loctite E90-FL Epoxy for Installation) |
| 3 | N/A | AR | Battery (Recommend 240 Minimum CCA at 0° F. Size U1R or U1L) |
| 4 | 03679000 | 1 | Solenoid |
| 5 | 04329700 | 1 | Harness, Wire-12V, Light and Heated Hand Grips |
| 6 | 52709300 | 1 | Switch Assembly |
| 7 | 00524700 | 1 | 15 AMP Fuse |
| 8 | 02485700 | 1 | Switch, On/Off Heated Hand Grips |

| 29 | | | | |
|----|--|--|--|--|
| | | | | |
| | | | | |



THE KING OF SNOW®

655 West Ryan Street Brillion, WI 54110 920-756-4688 Fax 920-756-2407 www.ariens.com